

NOVAGLASS TORCH-ON MEMBRANES



Novaglass Isorooft SBS waterproofing membranes are suitable for use in applications on various roof types, whether they are insulated or not, especially those that are subjected to high levels of stress such as timber or metal decks. The mineral version is used as a cap sheet in multi layer waterproofing systems and the range is ideal for use in cold climates.

Isorooft Plus 5 kg Mineral 8m – Grey/Green
Isorooft Plus 5 kg Mineral 8m – Charcoal



Novapol and Polibit APP waterproofing membranes are suitable for use in applications on various roof types as part of a built up waterproof system. The mineral version is used as a cap sheet in multi layer waterproofing systems and the range is ideal for use in milder climates.

Novapol 4.5kg Grey/Green Mineral 8m

NOVAGLASS TORCH-ON MEMBRANES



Velobit APP underlays are used in multi layer built up felt roof systems. The membrane is 2mm thick and has a talc finish on the upper surface. Velobit V2 has a good resistance to high and low temperatures. This product is available from stock in 16m rolls.



Isogum 5kg SBS is available in 8m long rolls and the upper surface is finished in a Grey/Green Slate Mineral finish. This product is ideal for structures that are subjected to high levels of stress such as timber or metal decks and is ideal for use year round due to the high tensile strength of the finished material.



Flexgum P4 SBS is a high performance membrane that can be used in multi layer applications or as a single layer overlay system. The product has a BBA British board of agreement certificate. This product is ideal for structures that are subjected to high levels of stress such as timber or metal decks and is ideal for use year round due to the high tensile strength of the finished material.

Flexgum P4 SBS 5.5kg Mineral 7.5m

NOVAGLASS TORCH-ON MEMBRANES



Novall 3mm is a metal lined vapour barrier particularly for use in buildings where there is a high level of humidity. With excellent dimensional stability this products has good resistance to high and low temperatures. Novall is supplied in 10m long rolls.



Nova-Per Venting Layer is a perforated glass fibre sheet impregnated with distilled bitumen modified with elastomeric resins and elastoplastic polymers. This product is used in multi layer waterproof systems where controlled partial installation is required. Nova-Per will eliminate stresses in the subsequent waterproofing layers that are fully adhered and acts as a diffusion layer for the water vapour coming from the inside of the structure. Nova-Per is supplied in 30m long rolls.



Monoter 1.2kg is a rot proof woven polyester base sheet designed to be mechanically fixed to the roof decking using large headed roofing nails to accept subsequent torch-on application layers. Monoter may also be loose laid as a separation layer in roof gardens and roof systems ballasted with gravel or paving stones. Monoter is supplied in 20m long rolls.